

Get the Facts...

LGBTQ+ VETERAN HEALTH CARE

Male Veterans: Gay, Bisexual, and Queer Health Care

Gay, bisexual, and queer Veterans face increased health risks and unique challenges in accessing quality health care. There are an estimated 1 million lesbian, gay, bisexual, and queer Veterans in the United States. Many of these Veterans may receive care at the VHA. We are working to be a national leader in health care for LGBTQ+ Veterans and assure that high-quality care is provided in a sensitive, respectful environment at VHAs nationwide. This includes Veterans who are questioning their own sexual orientation or gender identity. The following is a list of the top things gay, bisexual, and queer male Veterans should discuss at their VHA visits.

1. COME OUT TO YOUR HEALTH CARE PROVIDER

In order to provide you with the best care possible, your VHA doctor should know you are gay, bisexual, or queer. It should prompt them to ask specific questions about you and offer appropriate health screens. If your provider does not seem comfortable with you as a gay, bisexual, or queer man, ask for another VHA provider. Coming out to your providers is an important step to being healthy. For frequently asked questions about privacy, see [Your Privacy Matters](#) on page 3.

2. MENTAL HEALTH

Depression and anxiety affect gay, bisexual, and queer men at a higher rate than heterosexual men. Veterans are also at higher risk of some mental health problems than non-Veterans. Gay, bisexual, and queer men may be more at risk for PTSD and chronic stress from discrimination. Living with this stress can worsen depression and anxiety and may also contribute to thoughts of suicide. These problems may be more severe for men who remain “in the closet” or who do not have adequate social supports. Culturally-appropriate mental health services for gay, bisexual, and queer men for the prevention, early detection, and treatment of these conditions should be available at your VHA. *If you are in crisis, please call 911, go to your nearest Emergency Room, or call the Veterans Crisis Line at 1-800-273-8255 (press “1” after you call).*

3. SUBSTANCE USE/ALCOHOL

Heavy drinking and substance use are common among gay, bisexual, and queer men. Alcohol and drug misuse can lead to serious health, relationship, employment, and legal problems. Problems with drinking or drug use may occur in response to stress, and/or in combination with PTSD, depression, or other medical conditions. Fortunately, there are proven methods to help Veterans recover from alcohol or drug misuse, including mutual help groups and more intensive treatments. VHA has many resources to help Veterans and their loved ones answer questions, find support, get treatment, and recover.

4. TOBACCO USE

Gay, bisexual, and queer men use tobacco at higher rates than heterosexual men. Tobacco-related health problems include lung disease and cancer, heart disease, high blood pressure, and many other serious problems. All gay, bisexual, and queer men should be screened for and offered culturally-appropriate prevention and cessation programs for tobacco use. VHA has programs to help you quit smoking. Talk to your provider about how VHA can help or call 1-855-QUIT-VET to get started. Get text messages to help you quit smoking from SmokefreeVET—text the word **VET** to **47848** or visit <http://smokefree.gov/VET> to sign up.

GAY, BISEXUAL, AND QUEER HEALTH CARE

5. SEXUALLY TRANSMITTED INFECTIONS (STIS)

STIs occur in sexually active gay, bisexual, and queer men at a high rate. Some STIs can be cured (syphilis, gonorrhea, chlamydia, pubic lice), and some can be effectively treated but not cured (HIV, hepatitis, human papilloma virus, herpes). Condom use reduces the risk of STIs. Risk of exposure increases with the number of sexual partners. Because you can have an STI without symptoms, and transmit it to others, screening is important.

» HIV/AIDS

Men who have sex with men are at an increased risk of HIV infection. Condom use can reduce the risk of receiving or transmitting HIV. Pre-Exposure Prophylaxis (PrEP) is one strategy for reducing the risk of getting infected with HIV. If you are not HIV positive, discuss with your VHA provider whether PrEP is best. If you are HIV positive, you need to be in care with an HIV provider.

» HEPATITIS IMMUNIZATION AND SCREENING

Men who have sex with men are at an increased risk of exposure to the viruses that cause serious liver conditions known as hepatitis. These infections can lead to very serious long-term issues such as liver failure and liver cancer. Immunizations are available to prevent two of the three viruses. Immunization for hepatitis A virus and hepatitis B virus is recommended for all men who have

sex with men. Condom use and not sharing needles are effective at reducing exposure to viral hepatitis and are currently the only means of prevention for the hepatitis C Virus. If you have hepatitis C, talk to your provider about the new treatments that can cure this infection.

» HUMAN PAPILLOMA VIRUS (HPV)

Of all the sexually transmitted infections gay, bisexual, and queer men are at risk for, HPV—which causes anal and genital warts—is often thought to be little more than an unsightly inconvenience. However, these infections may play a role in the increased rates of anal cancers in gay, bisexual, and queer men. Some health professionals now recommend routine screening with anal Pap Smears, similar to the test done for women to detect early cancers. Talk to your provider about whether an anal Pap Smear is recommended.

6. PROSTATE, TESTICULAR, COLON, AND ANAL CANCER

Gay, bisexual, and queer men may be at risk of prostate, testicular, or colon cancer. Some research has found gay men at higher risk for anal cancer than heterosexual men. Screening for these cancers occurs across the life cycle and screening may occur less often if you are not “out” with your provider.

7. FITNESS (DIET AND EXERCISE)

Problems with body image are more common among gay, bisexual, and queer men than heterosexual men, including eating disorders such as bulimia or anorexia. While regular exercise is healthy, the use of substances such as anabolic steroids and certain supplements can be dangerous. If you are overweight, you are at risk of diabetes, high blood pressure, joint problems, and heart disease. Talk to your VHA provider about the MOVE! Weight Management Program.

8. HEART HEALTH

Gay, bisexual, and queer men are more likely than heterosexual men to have high blood pressure and an increased risk of heart disease. High blood pressure is a major risk factor for cardiovascular disease and can be affected by stress, including stress from discrimination. High blood pressure can be managed with healthy lifestyle changes and medications. Getting your blood pressure checked regularly is important because high blood pressure often has no symptoms.



GAY, BISEXUAL, AND QUEER HEALTH CARE

9. ERECTILE DYSFUNCTION

Gay, bisexual, and queer men report erectile dysfunction more often than heterosexual men. Erectile dysfunction is the inability to get and keep an erection firm enough for sex. Having erection trouble from time to time isn't necessarily a cause for concern. But if erectile dysfunction is an ongoing problem, it may lead to distress or relationship problems. Talk to your doctor if you are having erectile problems on a regular basis. Persistent problems getting or keeping an erection can be a sign of a health condition that needs treatment, such as heart disease or poorly controlled diabetes. VHA offers effective treatments for erectile dysfunction.

10. OLDER GAY, BISEXUAL, AND QUEER MEN

Older gay, bisexual, and queer men are likely to have experienced stigma, discrimination and violence related to sexuality. Older gay, bisexual, and queer men who need assistance are less likely to receive care from adult children and may experience discrimination in nursing homes or community living centers or live in fear of discrimination. VHA has non-discrimination policies in place to protect older gay and bisexual men and their partners in VA facilities.

11. INTIMATE PARTNER VIOLENCE (IPV)

IPV refers to violence and aggression between intimate partners which can include physical, sexual or psychological abuse or stalking. IPV can be a single event or last for many years. The impact of IPV can reach far beyond the actual or threatened violence or aggression. Military sexual trauma (MST) is the term used by VHA to refer to experiences of sexual assault or repeated, threatening sexual harassment that a Veteran experienced during their military service. VHA has a number of resources available for men who have experienced IPV, including violence from same-sex partners. VHA offers effective therapies for mental health problems that commonly occur with IPV, such as PTSD, depression, anxiety and alcohol or drug use problems. Every VHA facility has providers knowledgeable about treatment for the after effects of MST.

YOUR PRIVACY MATTERS

I DON'T WANT ANYONE BESIDES MY PROVIDER TO KNOW THAT I'M GAY, BISEXUAL, OR QUEER. WILL THIS INFORMATION BE SHARED?

Your VHA provider has been trained to keep your conversations confidential. You can also ask that this information not be entered into your medical record, although there may be important reasons for your other health care providers to know this information. Finding a provider you are comfortable with is essential to your health and wellness.

WHAT IF MY PROVIDER USES THE WRONG TERMS OR PRONOUNS WHEN REFERRING TO ME OR MY SPOUSE/PARTNER?

Your VHA provider may not know what terms you prefer to use. Let providers know how you describe yourself and your partner(s), and they will start to use those words. If they make a mistake, let them know! Your provider wants to make you feel comfortable, and using words that you prefer is an important first step.

DOES THE VHA HAVE RESOURCES TO HELP ME FIND A PROVIDER WHO IS COMFORTABLE WITH MY SEXUAL ORIENTATION?

Yes! Each facility has an LGBTQ+ Veteran Care Coordinator, who can help you find a culturally competent provider. In addition, VA facilities have LGBTQ+ Veteran Web pages. For a list of those Web pages, see here: www.patientcare.va.gov/LGBT/VAFacilities.asp

GAY, BISEXUAL, AND QUEER HEALTH CARE

To find the VHA medical center or Vet Center nearest you, call 1-877-222-8387 or visit www.va.gov/directory. Every VHA has an LGBTQ+ Veteran Care Coordinator to assure you have access to appropriate treatment. They can assist you with finding providers, answering questions, and reporting problems if you encounter them.

LGBTQ+ HEALTH PROGRAM

The LGBTQ+ Health Program within Population Health/Patient Care Services assists LGBTQ+ Veterans in accessing quality health care. Visit our website at <https://www.patientcare.va.gov/LGBT/index.asp>

ADDITIONAL RESOURCES

ARE YOU A MEDICAL PROVIDER LOOKING FOR RESOURCES TO HELP PROVIDE CARE TO LGBTQ+ VETERANS?

Health Professionals Advancing LGBTQ Equality

www.glma.org

The Fenway Institute – The National LGBTQIA Health Education Center

<https://www.lgbtqihealtheducation.org/>

ARE YOU A VETERAN LOOKING TO UNDERSTAND WHY YOUR SEXUAL ORIENTATION AND GENDER IDENTITY ARE IMPORTANT TO YOUR OVERALL CARE?

Centers for Disease Control and Prevention – LGBT Health

www.cdc.gov/lgbthealth

DO YOU WANT MORE INFORMATION ON THE VA'S PATIENT CARE SERVICES LGBTQ+ HEALTH PROGRAM?

The Lesbian, Gay, Bisexual, Transgender, and Queer+ Health Program

Scan the QR code or visit:

<https://www.patientcare.va.gov/LGBT/index.asp>

ARE YOU A VETERAN LOOKING FOR GENERAL INFORMATION ABOUT THE PROGRAMS MENTIONED ABOVE?

Tobacco and Health

www.publichealth.va.gov/smoking/index.asp

Viral Hepatitis

www.hepatitis.va.gov

HIV/AIDS

www.hiv.va.gov

MOVE! Weight Management Program

www.move.va.gov



If you are in crisis, please call 911, go to your nearest Emergency Room, or call the Veterans Crisis Line at 1-800-273-8255 (press "1" after you call).

VA



U.S. Department of Veterans Affairs

Veterans Health Administration
Patient Care Services

VISIT US WWW.PATIENTCARE.VA.GOV

CONNECT WITH US:



SUBSCRIBE TO RECEIVE EMAIL UPDATES AT
WWW.PATIENTCARE.VA.GOV



FACEBOOK.COM/VETERANSHEALTH



TWITTER.COM/VETERANSHEALTH